

S/N 10/743,247
 Inventor: Tan et al.
 Reply to the Office action dated August 04, 2005

Page 1 of 27
 Attorney Docket: CS03-046
 file: cs2003-046-rcal-2005-08-04.doc

To: Commissioner of Patents
 P.O. Box 1450
 Alexandria, VA 22313-1450

From:	William J. Stoffel Reg no. 39,390 Customer no. 30,402	1735 Market St - Ste A455 Philadelphia, PA 19103-7502 USA Work 215-670-2455 Fax 267-200-0730
-------	---	---

Subject:	Reply to the Office action dated August 04, 2005
Serial No.	10/743,247
Docket	CS03-046
File date:	12/22/2003
Inventor:	Tan et al.
Title:	Shallow Amorphizing Implant For Gettering Of Deep Secondary End Of Range Defects
Group Art Unit:	2822
Examiner:	Perkins, Pamela E

RESPONSE TO PATENT OFFICE ACTION

APPLICATION NO.	FILED DATE	FILED NAME INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/743,247	12/22/2003	Chang Pong Tan	CS03-046	0902
30402 7502 00040205 WILLIAM STOFFEL PMB 455 1735 MARKET ST. - STE. A PHILADELPHIA, PA 19103-7502			EXAMINER PERKINS, PAMELA E	
ART UNIT 2822			PAPER NUMBER 0000	
DATE MAILED: 08/04/2005				

5

Dear Sir:

In response to the office action dated August 04, 2005, please consider the following remarks:

CERTIFICATE OF MAILING OR FACSIMILE TRANSMISSION	
Total 27 Pages in this Fax	
I hereby certify that this correspondence is being:	
<input type="checkbox"/> FAXED to the central facsimile number of patent and trademark office at the following number (571) 273-8300 or <input type="checkbox"/> deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner of Patents, P.O. Box 1450, Alexandria, VA 22313-1450; on the date below.	
Signature <i>William J. Stoffel</i>	DATE <i>Nov 4, 2005</i>
William J. Stoffel	Reg. No. 39,390 Customer number 30402

S/N 10/743,247
Inventor: Tan et al.
Reply to the Office action dated August 04, 2005

Page 2
Attorney Docket: CS03-046
file: cs2003-046-roa1-2005-08-04.doc

This response to Office Action has the following sections:

- ☐ **Amendments to the Claims** are reflected in the listing of claims that begin on the next page.
- ☐ **Amendments to the drawings** begin the page following the amendments to the claims.
- ☐ **Remarks/Arguments** begin on the page following the amendments to the drawings.
- ☐ **Attached – replacement drawing sheet 4/9 at end of response in appendix**